

The relation of Connected Set Cover and Group Steiner Tree

Khaled Elbassioni*, Slobodan Jelić†, Domagoj Matijević‡

Abstract

We report that the Connected Set Cover (CSC) problem is just a special case of the Group Steiner Tree (GST) problem. Based on that we obtain the first algorithm for CSC with polylogarithmic approximation guarantee as well as the first approximation algorithms for the weighted version of the problem and the version with requirements. Moreover, we argue that the inapproximability result of GST will carry on to the weighted version of the CSC problem.

Keywords: set cover, connected set cover, weighted connected set cover, group Steiner Tree, node weighted group Steiner Tree, covering Steiner Tree problem

1. Introduction

Let U be the universe of elements, \mathcal{S} family of subsets of U such that $\bigcup_{S \in \mathcal{S}} S = U$ and $G = (\mathcal{S}, E)$ connected graph on vertex set \mathcal{S} . We say that subfamily $\mathcal{R} \subseteq \mathcal{S}$ is *set cover* with respect to the instance (U, \mathcal{S}) if every $u \in U$ is covered by at least one set from \mathcal{R} . The *set cover problem* introduced by Chvátal [3] is to find the subfamily \mathcal{R} of minimal size. The more general version of the problem is typically called the *weighted set cover problem* where each set from family \mathcal{S} has a nonnegative weight associated with it. The task then is to find

the minimum weight subfamily of sets which covers entire universe U .

A *connected set cover* with respect to the instance (U, \mathcal{S}, G) is a set cover \mathcal{R} with respect to (U, \mathcal{S}) such that the subgraph $G[\mathcal{R}]$ induced by \mathcal{R} is connected. The *connected set cover problem* (CSC) on (U, \mathcal{S}, G) is a problem of finding a connected set cover with respect to (U, \mathcal{S}, G) with minimum number of sets (vertices). Analogously to the weighted version of the set cover problem, we define the weighted connected set cover problem (WCSC) with the task of computing the connected set cover with minimum weight subfamily of sets (vertices).

In this paper, we will study the relation of CSC and WCSC and the well-studied group Steiner Tree (GST) problem introduced by Reich and Widmayer [10] motivated by the problem of wire routing with multiport terminals in physical VLSI design. Let $G = (V, E)$ denote a graph with edge weight function $w : E \rightarrow \mathbb{R}^+$ and family of subsets of vertices $\mathcal{G} = \{g_1, g_2, \dots, g_k\}$, $g_i \subset V$ which will be called groups. The task is to find a subtree T that minimizes the cost function $\sum_{e \in E} w(e)$ such that $V(T) \cap g_i \neq \emptyset$ for all $i \in \{1, \dots, k\}$. This problem is called the group Steiner Tree problem with respect to the instance (G, \mathcal{G}, w) . We fix the following notations: $k = |\mathcal{G}|$, $N = \max_{1 \leq i \leq k} |g_i|$ and $n = |V|$.

It is well known that GST is at least as hard as the set cover problem. Namely, it can be shown that the set cover can be reduced to GST by building a star graph with leaves that corresponds to the sets from \mathcal{S} and each group corresponds to exactly one element from U . All sets (leaves) covering one (fixed) element belong to the same group. Weights of edges can be defined as weights of set that are connecting particular sets to the root of the star graph (Figure 1.1).

*Max-Planck-Institut für Informatik, Department 1: Algorithms and Complexity, Campus E1 4, Room 307, 66123 Saarbrücken, Germany; e-mail: elbassio@mpi-inf.mpg.de, phone: +49 681 9325 107

†Josip Juraj Strossmayer University of Osijek, Department of Mathematics, Trg Ljudevita Gaja 6, Room 19, 31000 Osijek, Croatia; email: sjelic@mathos.hr, phone: +385 31 224 822

‡Josip Juraj Strossmayer University of Osijek, Department of Mathematics, Trg Ljudevita Gaja 6, Room 41, 31000 Osijek, Croatia; email: domagoj@mathos.hr, phone: +385 31 224 825




Figure 1.1: Reduction of set cover to the GST problem

1.1. Previous work

CSC has been independently investigated from GST by several papers before. In fact, the main motivation for introducing the connectivity requirement in classical set cover came from biology, namely from the problem of reserve selection for conservation of species (see [2]). Cerdeira and Pinto [2] formally introduced the CSC problem and studied some valid inequalities for the convex hull of the set of incidence vectors of connected covers.

Shuai and Hu [11] gave two polynomial algorithms for the CSC problem on graph where each vertex has degree less than or equal to 2 and proved that for any $0 < \rho < 1$ there is no approximation algorithms with approximation ratio $\rho \ln n$ for the CSC problem on graphs where at most one vertex has degree greater than 2, unless $\text{NP} \subset \text{DTIME}(n^{\text{poly} \log n})$.

In the paper by Zhang, Gao and Wu [12] first two approximation algorithms for CSC are given. First algorithm is a combination of approximation algorithms for set cover and Steiner tree with minimum number of Steiner points with approximation ratios of α and β , respectively. In the first phase of algorithm, the set cover is computed with the approximation ratio α . In the second phase, Steiner tree with minimum number of Steiner points is computed on the set cover from the first phase in order to resolve eventual disconnectedness. It was proved that the described algorithm has approximation ratio of $\alpha + \beta + \alpha\beta(D_c - 1)$ where D_c is the length of the longest path in graph G between two

non-disjoint sets. Second algorithm [12] uses the greedy strategy that generalizes the greedy algorithm of set cover with the approximation ratio of $1 + D_c H(\gamma - 1)$ where $H(\cdot)$ is the harmonic function and $\gamma = \max\{|S| : S \in \mathcal{S}\}$.

Note that theoretically both algorithms do not provide a very good bound since D_c can grow as large as $O(n)$, as we demonstrate with the following example.

Example 1..1. Suppose that $n \in \mathbb{N}$ is even and $n \geq 6$. Universe U is given by $U = \{1, 2, \dots, n\}$ and $\mathcal{S} = \{S_1, \dots, S_n\}$ where $S_1 = \{1, 2, \dots, n/2 + 1\}$, $S_{n/2} = \{1, 2, \dots, n/2\}$, $S_{n/2+1} = \{n/2 + 1, \dots, n\}$, $S_n = \{n/2 - 1, n/2, \dots, n\}$ and $S_i = \{i - 1, i\}$ for $1 < i < n/2$ and $n/2 + 1 < i < n$. Graph $G = (V(G), E(G))$ is given by $V(G) = \mathcal{S}$ and $E(G) = \{\{S_i, S_{i+1}\} : 1 \leq i \leq n - 1\}$ (see Figure 1.2). Optimal solution is $\mathcal{R}^* = \{S_{n/2}, S_{n/2+1}\}$. However, the approximation algorithms of Zhang et al. will be forced to pick either S_1 or S_n and the mechanisms they use to overcome possible disconnectedness will incur $O(n)$ additional sets (vertices).




Figure 1.2: Bad example for the approximation algorithms proposed by Zhang et al.

On the other hand, GST is an older and more studied problem. Grag et al. [5] gave first polylog-

arithmetic approximation algorithm which with high probability finds a group Steiner tree of cost within $O(\log N \log n \log \log n \log k)$ of the cost of the best group Steiner tree. Using a randomized approach, they solved the problem on trees with the approximation ratio of $O(\log k \log N)$ which they extend to general graphs by probabilistic approximation of metric spaces due to Bartal [1]. Some generalizations of GST have also been studied. Khandekar et al. [7] gave approximation algorithms for Fault-Tolerant Group-Steiner Problems. In their work they address the *node-weighted* GST problem with both node and edge weights on graph G and provide the $O(\sqrt{n} \log n)$ approximation algorithm for that problem where n is a number of vertices in graph G . Konjevod, Ravi and Srinivasan [8] considered the GST where each group in \mathcal{G} has a nonnegative integer requirement associated with it. They provide the polylogarithmic approximation algorithm for the problem of determining a minimum-weight tree spanning at least the required number of vertices of every group.

Very recently Naor et al. [9] presented a very interesting quasi-polynomial-time randomized online algorithm for the node-weighted GST problem with a polylogarithmic competitive ratio.

1.2. Our results

In this paper, we show that CSC is just a special case of GST. Namely, we show that CSC and GST where all edge weights are set to 1 are equivalent problems. Although the reduction works in both direction, we will mainly exploit the fact that we can transform CSC instance to equivalent GST instance, find the solution of GST by some of the known algorithms, and transform the solution back to CSC. Doing so will immediately imply the better approximation algorithms for the CSC, WCSC and the generalization of CSC with requirements.

More precisely, results of Garg, Konjevod and Ravi [5] imply polylogarithmic approximation algorithm for connected set cover with approximation ratio $O(\log^2 m \log \log m \log n)$ where $n = |U|$ and $m = |\mathcal{S}|$. The algorithms of Khandekar et al. [7] will be used to approximate the weighted CSC not more than $O(\sqrt{m} \log m)$ times optimal. Note that this is the first algorithm with approxi-

mation guarantee for the WCSC problem¹. Note that the recent results of Naor et al. [?] provide the first algorithm with polylogarithmic approximation guarantee. Their algorithm is online (i.e. does not need any knowledge of family $\mathcal{G} = \{g_1, g_2, \dots, g_k\}$, $g_i \subset V$ in advance). However, it runs only in quasi-polynomial running time.

Finally, the results of Konjevod, Ravi and Srinivasan [8] will be used to solve CSC with requirements $r_e \in \mathbb{N}$, where each element $e \in U$ has to be covered by at least r_e sets.

2. CSC is just a special case of GST

Here we prove our main result, i.e. the CSC problem is equivalent to the GST problem with all edge weights set to 1. We do that by showing that WCSC is equivalent to the GST problem with all edge weights set to 1 and nonnegative weights associated to graph nodes. Precise definitions are as follows.

Definition 2.1 (Weighted Connected Set Cover (WCSC)). *Given a set U of elements, \mathcal{S} a family of subsets of U , graph G such that $V(G) = \mathcal{S}$ and $w_N : \mathcal{S} \rightarrow \mathbb{R}^+$, find a subfamily \mathcal{R} of \mathcal{S} such that every element of U is covered by at least one set of \mathcal{R} , subgraph $G[\mathcal{R}]$ of G induced by \mathcal{R} is connected and $\sum_{S \in \mathcal{R}} w_N(S)$ is minimized.*

Definition 2.2 (Node weighted Group Steiner Tree). *Suppose that we are given a graph G with node-weight function $w_N : V(G) \rightarrow \mathbb{R}^+$ and family of subsets of vertices $\mathcal{G} = \{g_1, g_2, \dots, g_k\}$, $g_i \subset V$ which will be called groups. We have to find subtree T that minimizes cost function $\sum_{v \in V(T)} w_N(v)$ such that $V(T) \cap g_i \neq \emptyset$ for all $i \in \{1, \dots, k\}$.*

In the following, we prove that above two problems are equivalent.

Theorem 2.1. *Suppose that (U, \mathcal{S}, G, w_N) and (G, \mathcal{G}, w_N) are instances of WCSC and node-weighted GST, respectively. We can reduce WCSC to node-weighted GST and conversely, i.e these problems are equivalent.*

¹Zhang et al. [12] left the weighted variant of CSC as an open problem.

Proof. We are given an instance (U, \mathcal{S}, G, w_N) of WCSC. Let define $\mathcal{G} = \{g_u\}_{u \in U}$ such that

$$g_u = \{S \in \mathcal{S} : u \in S\}. \quad (2.1)$$

The instance (G, \mathcal{G}, w_N) of node-weighted GST is obtained. If T is a solution subtree, we can check that $\mathcal{R} = \{S_v : v \in V(T)\}$ is a solution of our WCSC problem. Indeed, $G[\mathcal{R}]$ is connected subgraph of G that covers all elements of universe U and it has minimum weight among all such connected subgraphs. Since T is tree, it follows that $G[\mathcal{R}]$ is connected. First, we check covering constraint. Suppose that there is at least one element u' such that it is not covered by no one element of \mathcal{R} . It means that for every $S \in \mathcal{R}$ we have that $u' \notin S$. By (2.1) it follows that there is $g_{u'}$ such that there are no vertices in T that are in group $g_{u'}$. It is contradiction to feasibility of T in node-weighted GST. Second, suppose that there is a better solution \mathcal{R}' such that $w_N(\mathcal{R}') < w_N(\mathcal{R})$. Now, we can construct tree T' by cycle deletion such that $w_N(T') < w_N(T)$ and $V(T') \cap g \neq \emptyset$ which contradicts optimality of T .

Now, we will prove that node-weighted GST is reducible to WCSC. The instance (G, \mathcal{G}, w_N) of node-weighted GST is given. Let $U = \mathcal{G}$ and $\mathcal{S} = \{S_v\}_{v \in V(G)}$ such that

$$S_v = \{g \in U : v \in g\}, \quad v \in V(G). \quad (2.2)$$

The instance (U, \mathcal{S}, G, w_N) is obtained. If \mathcal{R} is optimal node weighted connected cover, we can check that tree $T = (\mathcal{R}, E(T))$ is optimal solution to the node weighted GST problem, where $E(T)$ is obtained from $E(G[\mathcal{R}])$ by cycle deletion. In other words, we claim that T is the minimum weight subtree that includes at least one vertex from each group. If there is one uncovered group there is one uncovered element in solution of WCSC. If we suppose that there is another tree T' such that $w_N(T') < w_N(T)$ and $V(T') \cap g \neq \emptyset$ for all $g \in \mathcal{G}$, that it follows that $\mathcal{R}' = \{S_v\}_{v \in V(T')}$ is connected cover such that $w_N(\mathcal{R}') < w_N(\mathcal{R})$. It contradicts the optimality of \mathcal{R} . \square

Clearly, CSC is a special case of WCSC where $w_N(v) = 1$ for all $v \in V(G)$. Similarly (as in Theorem 2.1), it can be proved that the CSC problem is equivalent to the GST problem where all edges have equal weights (i.e. $w(e) = 1$ for all $e \in E(G)$).

Theorem 2.2. *CSC and GST with all edge weights equal to 1, are equivalent. In other words, any CSC instance can be reduced to GST instance and vice versa.*

2.1. Algorithms for (W)CSC

Garg et al. in [5] proved the following theorem.

Claim 2.1. *For any $\epsilon > 0$, there is a polynomial-time algorithm that with probability $1 - \epsilon$ finds group Steiner tree whose cost is*

1. $O(\log N \log k)$ times the cost of the optimal tree, if the input graph is a tree;
2. $O(\log N \log n \log \log n \log k)$ times the cost of the optimal tree on general graphs.

By Theorem 2.2, the same algorithm can be used to solve the CSC problem by reducing the CSC to the equivalent GST problem first. Hence, the polylogarithmic approximation algorithm for CSC is obtained.

Khandekar et al. in [7] studied fault-tolerant versions of the group Steiner tree problem. Given (directed or undirected) a graph G with edge or node weights, a root vertex $r \in V(G)$ and a collection of groups $\mathcal{G} = \{g_1, \dots, g_k\}$ that are subsets of $V(G) \setminus \{r\}$, the task is to find a minimum weight subgraph H of G that contains two edge or vertex-disjoint paths from each group $g \in \mathcal{G}$ to the root r .

They proved the following theorem.

Claim 2.2. *There is a polynomial-time algorithm that approximates within $O(\sqrt{n} \log n)$ the fault-tolerant version of the group Steiner tree problem.*

We can use algorithms provided in [7] to solve the WCSC problem, since that is, by our knowledge, the only algorithm with approximation guarantee known that can be used to approximate the node-weighted GST problem. The algorithm is more precisely stated below.

Since reduction in the proof of Theorem 2.1 defines group g_u for each element $u \in U$ in (2.1), it follows that number of groups in node-weighted GST will be equal to number of elements in U , more precisely $k = |U| = n$. Maximal group size in node-weighted GST can be viewed as the maximal number of sets in \mathcal{S} which cover some fixed element

Algorithm 2..1: Algorithm for WCSC

Input: universe U , family of sets \mathcal{S} , graph G ,
node weight function w_N

Output: connected cover \mathcal{R}

transform WCSC instance to equivalent
node-weighted GST instance (G, \mathcal{G}, w_N) as in
the proof of Theorem 2.1;

for $r \in V(G)$ **do**

Find subgraph H using algorithm of
Khandekar et al. which contains two
vertex-disjoint paths from root r to each
group $g \in \mathcal{G}$;

take the subgraph H which has a minimal
weight;

return family $\{S_v \in \mathcal{S} : v \in V(H)\}$;

$u \in U$ in WCSC instance. Hence, $N \leq m$ where
 $m = |\mathcal{S}|$.

Algorithm 2..1 returns WCSC whose weight is
less $O(\sqrt{m} \log m)$ times the optimal.

2.2. Algorithms for (W)CSC on trees

Note that the first part of Claim 2.1 together with
Theorem 2.2 imply the $O(\log m \log n)$ algorithm for
CSC if the input graph is a tree.

When the input graph is a node weighted tree,
the node-weighted GST can as well be substantially
better approximated. Namely, it can be shown that
any node weighted input tree can be transformed
into an equivalent edge weighted tree. These trees
have the same solution subtree as we shown in the
following theorem.

Theorem 2.3. *Suppose that T is the node weighted
tree with node weight function $w_N : V(T) \rightarrow \mathbb{R}^+$
and root r . The instance of the node-weighted GST
problem is denoted by (T, \mathcal{G}, w_N, r) . There is a
tree T' with edge weight function $w_E : E(T') \rightarrow$
 \mathbb{R}^+ such that the optimal solution of an instance
 (T, \mathcal{G}, w_N, r) can be reconstructed from optimal
solution of an instance $(T', \mathcal{G}, w_E, r)$ in polynomial
time.*

Proof. We can take $V(T') = V(T) \cup \{r'\}$ where r'
is the copy of root r , $w_N(r') = w_N(r)$ and $E(T') =$
 $E(T) \cup \{\{r, r'\}\}$. We define function $w_E : E(T') \rightarrow$
 \mathbb{R}^+ such that

$$w_E(\text{pe}(v)) = w(v), \quad v \in V(T') \setminus \{r\},$$

where $\text{pe}(v)$ denotes parental edge of $v \in V(T') \setminus$
 $\{r\}$. T^* is the optimal solution subtree of
 $(T', \mathcal{G}, w_E, r)$. If we take vertices of T^* and induce
subtree of T on these vertices (if $r' \in V(T^*)$ we
will take root r), we will obtain subtree whose node
weight is equal to the edge weight of T^* . Obviously,
it is the optimal solution of (T, \mathcal{G}, w_N, r) since each
another subtree T'' such that $w_N(T'') < w_N(T^*)$
contradicts optimality of T^* in (T, \mathcal{G}, w_E, r) in-
stance. \square

By the first part of Claim 2.1 and Theorem 2.2
it follows that WCSC can be solved within the ap-
proximation ratio of $O(\log m \log n)$ when the input
graph is a tree.

2.3. Connected set cover problem with requirements

Zhang et al. in [12] introduced the fault-tolerant
connected set cover problem with the uniform re-
quirement m . Solution \mathcal{R} is (k, m) -CSC if it in-
duces k -connected subgraph of G and each element
 $u \in U$ is covered by at least m subset. They
gave approximation algorithm for $(2, m)$ -CSC that
has performance $(PD(G) - 1)(1 + H(\gamma - 1))$ where
 $PD(G)$ is the maximum length of a path in graph G
with internal vertices of degree two. Note that this
guarantee can again be as bad as $O(n)$. In this sec-
tion, we generalize the $(1, m)$ -CSC problem where
each element $u \in U$ has arbitrary nonnegative in-
teger requirement r_u and show that such problem
can be solved in polylogarithmic approximation ra-
tio by using the result of Konjevod et al. [8] for the
Covering Steiner Tree problem (CST).

Definition 2.3 (Covering Steiner Tree problem -
(CST)). *Suppose that we are given a graph G with
edge-weight function $w_E : V(G) \rightarrow \mathbb{R}^+$ and family
of subsets of vertices $\mathcal{G} = \{g_1, g_2, \dots, g_k\}$, $g_i \subset$
 V which will be called groups. We have to
find the subtree T that minimizes a cost function
 $\sum_{e \in E(T)} w_E(e)$ such that $V(T) \cap g_i \neq \emptyset$ for all
 $i \in \{1, \dots, k\}$ and $V(T)$ contains at least k_g ver-
tices from each group $g \in \mathcal{G}$. Number k_g is called
the requirement of group $g \in \mathcal{G}$ and $\mathcal{K} = \{k_g \in \mathbb{N} : g \in \mathcal{G}, k_g \leq |g|\}$ is the set of all requirements.*

Konjevod et al. in [8] solved CST when the input graph is a tree using the technique of LP relaxation and randomized rounding described in [5] and obtained a randomized polynomial-time approximation algorithm for the covering Steiner problem on trees, which with constant probability produces a solution of value at most $O(\log N \log(K \cdot k))$ times optimal, where K is the largest requirement. Using Bartal approximation of metric spaces they extended their algorithm to general graphs with the cost of introducing an additional stretch of $O(\log n \log \log n)$ where $n = |V(G)|$. Hence, they compute with high probability CST of cost not more than $O(\log n \log \log n \log N \log(K \cdot k))$ times the cost of the optimal tree.

In the following, we provide the formal definition of the CSC problem with requirements.

Definition 2.4 (Connected set cover problem with requirements - (CSC-R)). *Given a set U of elements, \mathcal{S} a family of subsets of U and graph G such that $V(G) = \mathcal{S}$, find a minimum size subfamily \mathcal{R} of \mathcal{S} such that every element of U is covered by at least r_u sets in \mathcal{R} and subgraph $G[\mathcal{R}]$ of G induced by \mathcal{R} is connected. Number $r_u \in \mathbb{N}$ is called requirement for element $u \in U$. Set of all requirements is denoted by \mathcal{P} .*

Reduction from the CSC-R problem to the CST problem, where all edges have equal weights, can be performed in same way as in Theorem 2.1. Requirement r_u of elements $u \in U$ will be the requirement of corresponding groups g_u that consist of all sets that cover element u . On the other hand, requirement k_g of group $g \in \mathcal{G}$ will be the requirement of the element g in the CSC-R problem.

Theorem 2.4. *CSC-R is equivalent to the CST problem where all edges in the graph G have equal weights.*

As a result the algorithm of Konjevod et al. applies for the CSC-R problem in order to compute the solution of CSC-R whose value is at most $O(\log^2 m \log \log m \log(R \cdot n))$ where R is the largest requirement. Size of the largest group in the CST problem corresponds to the largest number of sets from \mathcal{S} that cover some fixed element $u \in U$.

3. Inapproximability of CSC

Halperin and Krauthgamer [6] gave polylogarithmic inapproximability result for the GST problem. More precisely, they proved that for every fixed $\epsilon > 0$ the GST admits no efficient $\log^{2-\epsilon} n$ approximation, where n denotes the input size, unless $\text{NP} \subseteq \text{ZTIME}(n^{\text{polylog}(n)})$. That holds even for Hierarchically Well-Separated Trees (HST), and hence for general trees as well. Since node weighted GST on trees is reducible to GST on trees (see Theorem 2.3), it follows that same inapproximability result holds for node weighted GST when input graph is a tree. By Theorem 2.1, it follows that weighted CSC is also $\Omega(\log^{2-\epsilon} n)$ -hard, for all $\epsilon > 0$, even when the input graph is a tree.

Theorem 3.1. *Weighted connected set cover problem is $\Omega(\log^{2-\epsilon} n)$ -hard, for all $\epsilon > 0$.*

4. Conclusion

In this paper, we found relation between two combinatorial problems, connected set cover and group Steiner Tree. Doing so, we are the first one to argue that the CSC problem can be approximated within the polylogarithmic approximation ratio. By similar arguments we gave the first algorithm for weighted version of CSC that has been raised as an open and interesting problem in [12]. Very recent results by Naor et al. [9] raise an interesting question whether there exist a polynomial algorithm for an on-line variant of the (weighted) CSC problem with a polylogarithmic approximation guarantee.

Inapproximability results showed that the weighted CSC problem is $\Omega(\log^{2-\epsilon} n)$ -hard. However, it is still not clear whether the same inapproximability results hold for CSC. Note that obtaining a better bound for CSC will immediately imply a bound for GST with uniform edge weights (e.g. all edge weights are one) and vice versa. It is worth mentioning that the construction of Halperin and Krauthgamer [6] uses information of edge weights and the same approach cannot be used for GST with uniform edge weights.

References

- [1] Yair Bartal. Probabilistic approximation of metric spaces and its algorithmic applications. In *In 37th Annual Symposium on Foundations of Computer Science*, pages 184–193, 1996.
- [2] J. Orestes Cerdeira and Leonor S. Pinto. Requiring connectivity in the set covering problem. *Journal of Combinatorial Optimization*, 9:35–47, 2005.
- [3] V Chvátal. A greedy heuristic for the set-covering problem. *Mathematics of Operations Research*, 4(3):233–235, 1979.
- [4] Diane M. Debinski and Robert D. Holt. A survey and overview of habitat fragmentation experiments. *Conservation Biology*, 14(2):342–355, 2000.
- [5] Naveen Garg, Goran Konjevod, and R. Ravi. A polylogarithmic approximation algorithm for the group steiner tree problem. *J. Algorithms*, 37:66–84, October 2000.
- [6] Eran Halperin and Robert Krauthgamer. Polylogarithmic inapproximability. In *Proceedings of the thirty-fifth annual ACM symposium on Theory of computing*, STOC '03, pages 585–594, New York, NY, USA, 2003. ACM.
- [7] Rohit Khandekar, Guy Kortsarz, and Zeev Nutov. Approximating fault-tolerant group-steiner problems. In Ravi Kannan and K Narayan Kumar, editors, *IARCS Annual Conference on Foundations of Software Technology and Theoretical Computer Science (FSTTCS 2009)*, volume 4 of *Leibniz International Proceedings in Informatics (LIPIcs)*, pages 263–274, Dagstuhl, Germany, 2009. Schloss Dagstuhl–Leibniz-Zentrum fuer Informatik.
- [8] Goran Konjevod, R. Ravi, and Aravind Srinivasan. Approximation algorithms for the covering steiner problem. *Random Struct. Algorithms*, 20:465–482, May 2002.
- [9] Joseph Naor, Debmalya Panigrahi, and Mohit Singh. Online node-weighted steiner tree and related problems. In *FOCS'11*, pages 210–219, 2011.
- [10] Gabriele Reich and Peter Widmayer. Beyond steiner's problem: A vlsi oriented generalization. In *Proceedings of the 15th International Workshop on Graph-Theoretic Concepts in Computer Science*, WG '89, pages 196–210, London, UK, 1990. Springer-Verlag.
- [11] Tian-Ping Shuai and Xiao-Dong Hu. Connected set cover problem and its applications. In Siu-Wing Cheng and Chung Poon, editors, *Algorithmic Aspects in Information and Management*, volume 4041 of *Lecture Notes in Computer Science*, pages 243–254. Springer Berlin / Heidelberg, 2006.
- [12] Zhao Zhang, Xiaofeng Gao, and Weili Wu. Algorithms for connected set cover problem and fault-tolerant connected set cover problem. *Theoretical Computer Science*, 410(8-10):812 – 817, 2009.